Contents

Number 1 April 1998

1 **DET1 represses a chloroplast blue light-responsive promoter in a developmental and tissue-specific mannner in *Arabidopsis thaliana*.** *D.A. Christopher and P.H. Hoffer*

13 **Induction of systemic resistance to *Pythium* damping-off in cucumber plants by benzothiadiazole: ultrastructure and cytochemistry of the host response.** *N. Benhamou and R.R. Bélanger*

23 **Auxin transport inhibition precedes root nodule formation in white clover roots and is regulated by flavonoids and derivatives of chitin oligosaccharides.** *U. Mathesius, H.R.M. Schlaman, H.P. Spaink, C. Sautter, B.G. Rolfe and M.A. Djordjevic*

35 **Salicylic acid has a dual role in the activation of defence-related genes in parsley.** *O. Thulke and U. Conrath*

43 ***Psł*: a novel *Spm*-like transposable element from *Petunia hybrida*.** *K.C. Snowden and C.A. Napoli*

55 **Requirement for the induced expression of a cell wall associated receptor kinase for survival during the pathogen response.** *Z.-H. He, D. He and B.D. Kohorn*

65 **Effects of mevinolin on cell cycle progression and viability of tobacco BY-2 cells.** *A. Hemmerlin and T.J. Bach*

75 **Molecular cloning and functional analysis of the *Arabidopsis thaliana* DNA ligase I homologue.** *R.M. Taylor, M.J. Hamer, J. Rosamond and C.M. Bray*

83 **The characterization of *gio*, a new pea mutant, shows the role of indoleacetic acid in the control of fruit development by the apical shoot.** *M.J. Rodrigo, I. López-Díaz and J.L. García-Martínez*

91 **Gene silencing from plant DNA carried by a Geminivirus.** *S. Kjemtrup, K.S. Sampson, C.G. Peele, L.V. Nguyen, M.A. Conkling, W.F. Thompson and D. Robertson*

101 **Regulation of Rubisco activation in antisense plants of tobacco containing reduced levels of Rubisco activase.** *E.T. Hammond, T.J. Andrews, K.A. Mott and I.E. Woodrow*

111 **Molecular cloning and functional expression in yeast of CYP76B1, a xenobiotic-inducible 7-ethoxycoumarin *O*-de-ethylase from *Helianthus tuberosus*.** *Y. Batard, M. LeRet, M. Schalk, T. Robineau, F. Durst and D. Werck-Reichhart*

121 **Significance of plasmalemma aquaporins for water-transport in *Arabidopsis thaliana*.** *R. Kaldenhoff, K. Grote, J.J. Zhu and U. Zimmermann*

129 SHORT COMMUNICATION
Recurrent onset of epigenetic silencing in rice harboring a multi-copy transgene. *S.P. Kumpatla and T.C. Hall*

137 SHORT COMMUNICATION
A novel tomato gene that rapidly responds to wound- and pathogen-related signals. *P.J. O'Donnell, M.R. Truesdale, C.M. Calvert, A. Dorans, M.R. Roberts and D.J. Bowles*

Number 2 April 1998

143 MINI-REVIEW
Sensing trehalose biosynthesis in plants. *O. Goddijn and S. Smeekens*

147 **A moderate decrease of plastid aldolase activity inhibits photosynthesis, alters the levels of sugars and starch, and inhibits growth of potato plants.** *V. Haake, R. Zrenner, U. Sonnewald and M. Stitt*

159 **N- and C-terminal peptide sequences are essential for enzyme assembly, allosteric, and/or catalytic properties of ADP-glucose pyrophosphorylase.** *M.J. Laughlin, S.E. Chantler and T.W. Okita*

169 **5′- and 3′-sequences of satellite tobacco necrosis virus RNA promoting translation in tobacco.** *F. Meulewaeter, X. Danthinne, M. Van Montagu and M. Cornelissen*

177 **Identification and characterization of a locus (*RTM1*) that restricts long-distance movement of tobacco etch virus in *Arabidopsis thaliana*.** *S.K. Mahajan, S.T. Chisholm, S.A. Whitham and J.C. Carrington*

187 **Ser6 in the maize actin-depolymerizing factor, ZmADF3, is phosphorylated by a calcium-stimulated protein kinase and is essential for the control of functional activity.** *A.P. Smertenko, C.-J. Jiang, N.J. Simmons, A.G. Weeds, D.R. Davies and P.J. Hussey*

195 **Antisense expression of a sucrose non-fermenting-1-related protein kinase sequence in potato results in decreased expression of sucrose synthase in tubers and loss of sucrose-inducibility of sucrose synthase transcripts in leaves.** *P.C. Purcell, A.M. Smith and N.G. Halford*

203 **Cloning and functional expression of *AtCOQ3*, the *Arabidopsis* homologue of the yeast *COQ3* gene, encoding a methyltransferase from plant mitochondria involved in ubiquinone biosynthesis.** *M.-H. Avelange-Macherel and J. Joyard*

215 **Molecular insertion-site selectivity of *Ds* in tomato.** *J. Stuurman, H.J.J. Nijkamp and M.J.J. van Haaren*

225 **Substrate specificities of tobacco chitinases.** *F. Brunner, A. Stintzi, B. Fritig and M. Legrand*

235 **Transcription pattern of a *FIM* homologue in *Impatiens* during floral development and reversion.** *S. Pouteau, D. Nicholls, F. Tooke, E. Coen and N. Battey*

247 TECHNICAL ADVANCE
Glucocorticoid-inducible expression of a bacterial avirulence gene in transgenic *Arabidopsis* induces hypersensitive cell death. *T.W. McNellis, M.B. Mudgett, K. Li, T. Aoyama, D. Horvath, N.-H. Chua and B.J. Staskawicz*

259 TECHNICAL ADVANCE
Development of an AFLP based linkage map of L*er*, Col and Cvi *Arabidopsis thaliana* ecotypes and construction of a L*er*/Cvi recombinant inbred line population. *C. Alonso-Blanco, A.J.M. Peeters, M. Koornneef, C. Lister, C. Dean, N. van den Bosch, J. Pot and M.T.R. Kuiper*

Number 3 May 1998

273 **More than 80*R2R3-MYB* regulatory genes in the genome of *Arabidopsis thaliana*.** *I. Romero, A. Fuertes, M.J. Benito, J.M. Malpica, A. Leyva and J. Paz-Ares*

285 **Systemic and local induction of an *Arabidopsis* thionin gene by wounding and pathogens.** *A. Vignutelli, C. Wasternack, K. Apel and H. Bohlmann*

297 **Acetyl-CoA:benzylalcohol acetyltransferase – an enzyme involved in floral scent production in *Clarkia breweri*.** *N. Dudareva, J.C. D'Auria, K.H. Nam, R.A. Raguso and E. Pichersky*

305 **Functional integration of non-native carotenoids into chloroplasts by viral-derived expression of capsanthin–capsorubin synthase in *Nicotiana benthamiana*.** *M.H. Kumagai, Y. Keller, F. Bouvier, D. Clary and B. Camara*

317 **Drought- and wound-induced expression in leaves of a gene encoding a chromoplast carotenoid-associated protein.** *H.-C. Chen, A. Klein, M. Xiang, R.A. Backhaus and M. Kuntz*

327 **Anoxia tolerance in tobacco roots: effect of overexpression of pyruvate decarboxylase.** *M. Tadege, R. Brändle and C. Kuhlemeier*

337 **A response-regulator homologue possibly involved in nitrogen signal transduction mediated by cytokinin in maize.** *H. Sakakibara, M. Suzuki, K. Takei, A. Deji, M. Taniguchi and T. Sugiyama*

345 SHORT COMMUNICATION
Targeting and modification of prokaryotic cell–cell junctions by tobacco mosaic virus cell-to-cell movement protein. *M. Heinlein, M.R. Wood, T. Thiel and R.N. Beachy*

353 SHORT COMMUNICATION
Microinjection of pollen-specific actin-depolymerizing factor, ZmADF1, reorientates F-actin strands in *Tradescantia* stamen hair cells. *P. Hussey, M. Yuan, G. Calder, S. Khan and C.J. Lloyd*

359 SHORT COMMUNICATION
Magnesium ions promote assembly of channel-like structures from beticolin 0, a non-peptide fungal toxin purified from *Cercospora beticola*. *C. Goudet, A.-A. Véry, M.-L. Milat, M. Ildefonse, J.-B. Thibaud, H. Sentenac and J.-P. Blein*

365 SHORT COMMUNICATION
Six *Arabidopsis thaliana* homologues of the human respiratory burst oxidase (*gp91^{phox}*). *M.A. Torres, H. Onouchi, S. Hamada, C. Machida, K.E. Hammond-Kosack and J.D.G. Jones*

371 TECHNICAL ADVANCE
Phage display selection can differentiate insecticidal activity of soybean cystatins. *H. Koiwa, R.E. Shade, K. Zhu-Salzman, L. Subramanian, L.L. Murdock, S.S. Nielsen, R.A. Bressan and P.M. Hasegawa*

381 TECHNICAL ADVANCE
A robust method for detecting single-nucleotide changes as polymorphic markers by PCR. *S.D. Michaels and R.M. Amasino*

387 TECHNICAL ADVANCE
dCAPS, a simple technique for the genetic analysis of single nucleotide polymorphisms: experimental applications in *Arabidopsis thaliana* genetics. *M.M. Neff, J.D. Neff, J. Chory and A.E. Pepper*

Number 4 May 1998

393 **Genetic evidence for an essential role for potyvirus CI protein in cell-to-cell movement.** *J.C. Carrington, P.E. Jensen and M.C. Schaad*

401 **Identification and *Ds*-tagged isolation of a new gene at the *Cf*-4 locus of tomato involved in disease resistance to *Cladosporium fulvum* race 5.** *F.L.W. Takken, D. Schipper, H.J.J. Nijkamp and J. Hille*

413 **Signs of translational regulation within the transcript leader of a plant plasma membrane H^+-ATPase gene.** *M. Lukaszewicz, B. Jérouville and M. Boutry*

425 **Genetic evidence that the endodermis is essential for shoot gravitropism in *Arabidopsis thaliana*.** *H. Fukaki, J. Wysocka-Diller, T. Kato, H. Fujisawa, P.N. Benfey and M. Tasaka*

431 **Temporal and photoregulated expression of five tomato phytochrome genes.** *B.A. Hauser, M.-M. Cordonnier-Pratt and L.H. Pratt*

441 **Efficient foreign gene expression in *Chlamydomonas reinhardtii* mediated by an endogenous intron.** *V. Lumbreras, D.R. Stevens and S. Purton*

449 **Co-operation between cytosolic and plastidic oxidative pentose phosphate pathways revealed by 6-phosphogluconate dehydrogenase-deficient genotypes of maize.** *R.H Averill, J. Bailey-Serres and N.J. Kruger*

459 SHORT COMMUNICATION
Aberrant splicing of intron 1 leads to the heterogeneous 5′ UTR and decreased expression of *waxy* gene in rice cultivars of intermediate amylose content. *X.-L. Cai, Z.-Y. Wang, Y.-Y. Xing, J.-L. Zhang and M.-M. Hong*

467 SHORT COMMUNICATION
Disease resistance gene homologs correlate with disease resistance loci of *Arabidopsis thaliana*. *E. Speulman, D. Bouchez, E.B. Holub and J.L. Beynon*

475 SHORT COMMUNICATION
Induced systemic resistance in wounded rice plants. *P. Schweizer, A. Buchala, R. Dudler and J.-P. Métraux*

483 SHORT COMMUNICATION
Molecular analysis of a second functional *A1* gene (*dihydroflavonol 4-reductase*) in *Zea mays*. *J. Bernhardt, K. Stich, Z. Schwarz-Sommer, H. Saedler and U. Wienand*

489 TECHNICAL ADVANCE
An efficient screening for terminal deletions and translocations of barley chromosomes added to common wheat. *I. Schubert, F. Shi, J. Fuchs and T.R. Endo*

497 TECHNICAL ADVANCE
Rapid discrimination of sequences flanking and within T-DNA insertions in the *Arabidopsis* genome. *M.R. Ponce, V. Quesada and J.L. Micol*

503 TECHNICAL ADVANCE
The use of vibratome sections of cereal spikelets to study anther development and meiosis. *L. Aragon-Alcaide, A. Beven, G. Moore and P. Shaw*

Number 5 June 1998

509 **Guard cell cation channels are involved in Na^+-induced stomatal closure in a halophyte.** *A.-A. Véry, M.F. Robinson, T.A. Mansfield and D. Sanders*

523 **Homology modelling and molecular dynamics aided analysis of ligand complexes demonstrates functional properties of lipid-transfer proteins encoded by the barley low-temperature-inducible gene family, *blt4*.** *Z. Keresztessy and M.A. Hughes*

535 **Developmental control of H^+/amino acid permease gene expression during seed development of *Arabidopsis*.** *B. Hirner, W.N. Fischer, D. Rentsch, M. Kwart and W.B. Frommer*

545 ***Brown-midrib* maize (*bm1*) – a mutation affecting the cinnamyl alcohol dehydrogenase gene.** *C. Halpin, K. Holt, J. Chojecki, D. Oliver, B. Chabbert, B. Monties, K. Edwards, A. Barakate and G.A. Foxon*

555 **Phosphatidate phosphatase from avocado (*Persea americana*) – purification, substrate specificity and possible metabolic implications for the Kennedy pathway and cell signalling in plants.** *M.L. Pearce and A.R. Slabas*

565 **C4-type gene expression is not directly dependent on Kranz anatomy in an amphibious sedge *Eleocharis vivipara* Link.** *A. Uchino, N. Sentoku, K. Nemoto, R. Ishii, M. Samejima and M. Matsuoka*

573 **A gene encoding 1-aminocyclopropane-1-carboxylate (ACC) synthase produces two transcripts: elucidation of a conserved response.** *S.C. Peck and H. Kende*

583 **Post-transcriptional silencing of pectin methylesterase gene in transgenic tomato fruits results from impaired pre-mRNA processing.** *K.K. Mishra and A.K. Handa*

593 **Transcription of the *Arabidopsis CPD* gene, encoding a steroidogenic cytochrome P450, is negatively controlled by brassinosteroids.** *J. Mathur, G. Molnár, S. Fujioka, S. Takatsuto, A. Sakurai, T. Yokota, G. Adam, B. Voigt, F. Nagy, C. Maas, J. Schell, C. Koncz and M. Szekeres*

603 ***Sur2* mutations of *Arabidopsis thaliana* define a new locus involved in the control of auxin homeostasis.** *M. Delarue, E. Prinsen, H. Van Onckelen, M. Caboche and C. Bellini*

613 SHORT COMMUNICATION
Molecular cloning of starch synthase I from maize (W64) endosperm and expression in *Escherichia coli*. *M.E. Knight, C. Harn, C.E.R. Lilley, H. Guan, G.W. Singletary, C. Mu-Forster, B.P. Wasserman and P.L. Keeling*

623 SHORT COMMUNICATION
Four differently chromatin-associated maize HMG domain proteins modulate DNA structure and act as architectural elements in nucleoprotein complexes. *C. Ritt, R. Grimm, S. Fernández, J.C. Alonso and K.D. Grasser*

633 TECHNICAL ADVANCE
A YAC contig map of *Arabidopsis thaliana* chromosome 3. *C. Camilleri, J. Lafleuriel, C. Macadré, F. Varoquaux, Y. Parmentier, G. Picard, M. Caboche and D. Bouchez*

643 TECHNICAL ADVANCE
Differential gene expression in *Arabidopsis* monitored using cDNA arrays. *T. Desprez, J. Amselem, M. Caboche and H. Höfte*

Number 6 June 1998

653 **Molecular analysis of *PHYA* in wild-type and phytochrome A-deficient mutants of tomato.** *G.I. Lazarova, L.H.J. Kerckhoffs, J. Brandstädter, M. Matsui, R.E. Kendrick, M.-M. Cordonnier-Pratt and L.H. Pratt*

663 **Inversions in the *Chlamydomonas* chloroplast genome suppress a *petD* 5′ untranslated region deletion by creating functional chimeric mRNAs.** *D.C. Higgs, R. Kuras, K.L. Kindle, F.-A. Wollman and D.B. Stern*

673 **The GCN4 motif in a rice glutelin gene is essential for endosperm-specific gene expression and is activated by Opaque-2 in transgenic rice plants.** *C.-Y. Wu, A. Suzuki, H. Washida and F. Takaiwa*

685 **Isolation of putative plant transcriptional coactivators using a modified two-hybrid system incorporating a GFP reporter gene.** *R.S. Cormack, K. Hahlbrock and I.E. Somssich*

693 **Rhizobial lipochitooligosaccharide nodulation factors activate expression of the legume early nodulin gene *ENOD12* in rice.** *P.M. Reddy, J.K. Ladha, M.C. Ramos, F. Maillet, R.J. Hernandez, L.B. Torrizo, N.P. Oliva, S.K. Datta and K. Datta*

703 **The terminal *O*-acetyltransferase involved in vindoline biosynthesis defines a new class of proteins responsible for coenzyme A-dependent acyl transfer.** *B. St-Pierre, P. Laflamme, A.-M. Alarco and V. De Luca*

715 **Translation initiation factors are differentially regulated in cereals during development and following heat shock.** *D.R. Gallie, H. Le, R.L. Tanguay and K.S. Browning*

723 **Expression studies of *Nrt2:1Np*, a putative high-affinity nitrate transporter: evidence for its role in nitrate uptake.** *A. Krapp, V. Fraisier, W.-R. Scheible, A. Quesada, A. Gojon, M. Stitt, M. Caboche and F. Daniel-Vedele*

733 SHORT COMMUNICATION
Immunolocalisation of the cytoskeleton to plasmodesmata of *Chara corallina*. *L.M. Blackman and R.L. Overall*

743 SHORT COMMUNICATION
Localisation of a myosin-like protein to plasmodesmata. *J.E. Radford and R.G. White*

751 SHORT COMMUNICATION
Association of γ-tubulin with kinetochore/centromeric region of plant chromosomes. *P. Binarová, B. Hause, J. Doležel and P. Dráber*

759 SHORT COMMUNICATION
Oxidative stress tolerance and longevity in *Arabidopsis*: the late-flowering mutant *gigantea* is tolerant to paraquat. *J. Kurepa, J. Smalle, M. Van Montagu and D. Inzé*

765 **Author Index**

771 **Subject Index**